



SNO+

Neutrinoless Double Beta Decay with an Organic Scintillator



Szymon Manecki, Queen's University

CAP Congress, May 31st, 2017



SNO+ Physics Goals


- **Neutrinoless Double Beta Decay of ^{130}Te**
- **Low Energy Solar Neutrinos**
- **Reactor Antineutrinos**
- **Geo-Neutrinos**
- **Supernova- ν**
- **Three stages:**
 - Water phase
 - Liquid scintillator phase
 - Te-loaded liquid scintillator




Double Beta Decay

- Are neutrinos their own anti-particles?

- $2\nu\beta\beta$ (Dirac)





- $0\nu\beta\beta$ (Majorana)



- With the Mass Mechanism:

$$(T_{1/2}^{0\nu})^{-1} = G^{0\nu} \cdot |M^{0\nu}|^2 \cdot \langle m_{\beta\beta} \rangle^2$$

$$\langle m_{\beta\beta} \rangle^2 = |\sum_i U_{ei}^2 m_{\nu i}|^2$$



D.B.D. experiments need good energy resolution, low backgrounds, and large amounts of isotope.

SNO+ Detector




PMT Support Structure
~9400 PMT, 54% Coverage

Acrylic Vessel (AV)
 $\Phi=12\text{m}$, thickness=5cm


Light water (H_2O) shielding
- 1700t internal
- 5300t external

Urylon Liner/Radon Seal

Norite Rock




Linear Alkylbenzene (LAB)



R. Ford Talk

+

D. Bartlet Poster




Tellurium (^{130}Te)

$0\nu\beta\beta$ LS Requirements

- Reach high tellurium concentration
 - 0.5% Te in 780 tonnes of scintillator
- Preserve good optics of the cocktail
 - Transparency, Scattering, Light Yield
- Maintain high purity of the scintillator
 - U/Th reduction factor
 - Cosmogenic activation


The TeDiol Complex

- Tellurium loading in Linear Alkyl Benzene
 - Through direct mixing in of an organometallic complex of Tellurium
- Butane-Diol based Te complex (“TeDiol”):




The TeDiol Complex

- Tellurium loading in Linear Alkyl Benzene
 - Through direct mixing in of an organometallic complex of Tellurium
- Butane-Diol based Te complex (“TeDiol”):




The TeDiol Complex

- Tellurium loading in Linear Alkyl Benzene
 - Through direct mixing in of an organometallic complex of Tellurium
- Butane-Diol based Te complex (“TeDiol”):




The TeDiol Complex

- Tellurium loading in Linear Alkyl Benzene
 - Through direct mixing in of an organometallic complex of Tellurium
- Butane-Diol based Te complex (“TeDiol”):




The TeDiol Complex

- Tellurium loading in Linear Alkyl Benzene
 - Through direct mixing in of an organometallic complex of Tellurium
- Butane-Diol based Te complex (“TeDiol”):




The TeDiol Complex

- Tellurium loading in Linear Alkyl Benzene
 - Through direct mixing in of an organometallic complex of Tellurium
- Butane-Diol based Te complex (“TeDiol”):




The TeDiol Complex

- Tellurium loading in Linear Alkyl Benzene
 - Through direct mixing in of an organometallic complex of Tellurium
- Butane-Diol based Te complex (“TeDiol”):




The TeDiol Complex

- Tellurium loading in Linear Alkyl Benzene
 - Through direct mixing in of an organometallic complex of Tellurium
- Butane-Diol based Te complex (“TeDiol”):



Telluric Acid Production




- Te extracted from mine (depth ~ 300 m) in April 2014
 - Visit to the production site prior to start of processing
 - QA/QC tests on samples from each barrel before approval to send to SNOLAB

3.8 tonnes of $\text{Te}(\text{OH})_6$, corresponding to ~2.1 tonnes Te, or ~0.26% Te loading



- Shipped to SNOLAB (January 7th 2015)
 - Transported underground on January 19th 2015
 - Testing one sample from one of the barrels to cross-check previous results


Telluric Acid Purification



- The purification technique relies on solubility of TeA in water based on pH
 - $\text{Te(OH)}_6 \leftrightarrow \text{Te(OH)}_5\text{O}^- + \text{H}^+$
in-soluble soluble
 - Insoluble contamination
 - Dissolve in water, and filter
 - Soluble contamination
 - Force TeA to recrystallize by adding Nitric Acid, let it precipitate out, and drain the “dirty” liquid
 - The process can be made tellurium selective



Telluric Acid Purification




- 0.5% Tellurium Target levels:
 - 1.3×10^{-15} g/g in ^{238}U (3×10^{-8} Bq/kg)
 - 5×10^{-16} g/g in ^{232}Th (1.2×10^{-9} Bq/kg)
 - (raw Te $\sim 10^{-11}$ g/g U/Th, 10^{-4} Bq/kg)

- Cosmogenic contamination from activation on Te
 - ^{60}Co , $^{110\text{m}}\text{Ag}$, ^{126}Sn , ^{88}Zr , ^{88}Y , ^{124}Sb
 - Rejection needed 10^4 - 10^5



| Isotope | $t_{exp}=1$ yr |
|---------------------------|----------------|
| ^{22}Na | 15309 |
| ^{26}Al | 0.048 |
| ^{42}K | 565 |
| ^{44}Sc | 102 |
| ^{46}Sc | 43568 |
| ^{56}Co | 2629 |
| ^{58}Co | 25194 |
| ^{60}Co | 6906 |
| ^{68}Ga | 37343 |
| ^{82}Rb | 18047 |
| ^{84}Rb | 11850 |
| ^{88}Y | 390620 |
| ^{90}Y | 823 |
| ^{102}Rh | 276189 |
| $^{102\text{m}}\text{Rh}$ | 133848 |
| ^{106}Rh | 1534 |
| $^{110\text{m}}\text{Ag}$ | 69643 |
| ^{110}Ag | 939 |
| ^{124}Sb | 3101138 |
| $^{126\text{m}}\text{Sb}$ | 240 |
| ^{126}Sb | 358996 |




10kg pilot-scale plant operated successfully
Final design
~200 kg TeA/batch under construction



Telluric Acid Purification




Telluric Acid Purification



2017/05/18

The Diol Assay



- Identified distributor in Japan, Kowa-Co.
 - High quality and affordable (8 tonnes needed)
 - $^{14}\text{C}/^{12}\text{C}$ to confirm its non-biogenic origin
 - Accelerator Mass Spectrometry at **uOttawa**:
 - Sample #1: $(14.3 \pm 1.2) \times 10^{-16}$ Blank #1: $(26.0 \pm 7.4) \times 10^{-17}$
 - Sample #2: $(4.8 \pm 1.2) \times 10^{-16}$ Blank #1: $(2.5 \pm 1.2) \times 10^{-17}$




The André E. Lalonde AMS Laboratory

University of Ottawa
25 Templeton Street
Ottawa, ON K1N 6N5
Canada



Radiocarbon@uOttawa.ca

The Diol Assay



■ Gamma-ray spectrometry


■ High Purity Ge (HPGe) detector at SNOLAB

- $^{238}\text{U} < 3.13$ ppb
- $^{232}\text{Th} < 0.26$ ppb
- $^4\text{K} < 386.56$ ppb

■ Neutron Activation Analysis


■ NAA at UC Davis

- $^{238}\text{U} < 0.3$ ppb
- $^{232}\text{Th} < 3.3$ ppb
- $^{\text{nat}}\text{Na} \sim \text{ppm} \rightarrow$ a fraction of which is ^{22}Na




| Experiment or Laboratory | Total (2005 - Today) |
|--------------------------|----------------------|
| SNO | 11 |
| SNO+ | 125 |
| SNOLAB | 81 |
| EXO | 19 |
| MiniCLEAN | 56 |
| DEAP | 133 |
| HALO | 13 |
| PICASSO | 9 |
| DM-ICE / DRIFT | 23 |
| COUPP / PICO | 92 |
| DAMIC | 15 |
| NEWS-SNOLAB | 1 |
| Total | 578 |
| Calibrations & Tests | 118 |


The Diol Assay



■ Tracing sodium contamination with NAA




TRIGA-type research reactor in Sacramento, owned and operated by UC Davis



Na (2.2 ± 1.0) ppb

The Diol Purification




■ Bench-top distillation with radio spikes

- ^{228}Th spike in 1,2-Butanediol
 - Low T (70 °C, 80 mTorr)



| | Initial activity mBq/g | Distillate activity mBq/g | Reduction factor |
|-------------------|---------------------------|------------------------------|---------------------|
| ^{228}Th | 72 | <0.014 | >5100 |
| ^{224}Ra | 72 | <0.013 | >5500 |

- High T (170 °C, 225 Torr)


| | Initial activity Bq/g | Distillate activity $\mu\text{Bq/g}$ | Reduction factor |
|-------------------|--------------------------|-----------------------------------------|---------------------|
| ^{228}Th | 1.94 | 7 ± 1 | 280 000 |
| ^{224}Ra | 1.94 | 13 ± 5 | 150 000 |




The TeDiol Plant



The TeDiol Plant



Backgrounds Budget



(α , n)


Alpha-capture on $^{13}\text{C}/^{18}\text{O}$
 Neutrons produced
 Capture of thermal neutrons
 Delayed coincidence tag

$^8\text{B} \nu \text{ES}$

^8B solar neutrinos:
 Flat spectrum
 Constrained by SNO/SK data
 Limited by resolution

External γ

From AV, ropes, water, PMTs
 Fiducial volume (20%) cut
 50% extra rejection multi-site cuts



Internal U chain


Internal Th chain

Internal U/Th


$^{214}\text{BiPo}$, $^{212}\text{BiPo}$
 B- α delayed coincidence tagging
 100% rejection in RoI
 In-window trigger: x50 rejection

Cosmogenics
 Mitigation: purification
 + "cool-down" UG
 < 1eV/yr in RoI-FV
 Further reduction if
 needed: multi-site events

0νββ Sensitivity



- 1.3 tonnes of ^{130}Te in LAB (at 0.5% $^{\text{nat}}\text{-Te}$)



- [-0.5; +1.5] σ around $Q_{\beta\beta}$
- 400 NHits/MeV (~4% ΔE)
- Fiducial Volume: 20% total

| | $T_{1/2}$ [yr] | $m_{0\nu\beta\beta}$ [meV] |
|-------|-----------------------|----------------------------|
| 1 yr | 8×10^{25} | 75.2 |
| 5 yrs | 1.96×10^{26} | 38 – 92 |

0νββ Schedule

- **2017-2018**
 - Scintillator plant commissioning
 - Scintillator fill
 - Unloaded scintillator phase (short)
 - Evaluation of backgrounds for 0νββ
 - Commissioning of the Tellurium plant(s)
- **2018-2019**
 - Tellurium loading
 - Begin 0νββ phase


SNO+ Collaboration



Backup

on $\beta\beta$ Sensitivity


- 1.3 tonnes of ^{130}Te in LAB (at 0.5% $^{\text{nat}}\text{-Te}$)



- $[-0.5; +1.5] \sigma$ around $Q_{\beta\beta}$
- 400 NHits/MeV ($\sim 4\% \Delta E$)
- Fiducial Volume: 20% total

| | $T_{1/2}$ [yr] | $m_{\text{on}\beta\beta}$ [meV] |
|-------|-----------------------|---------------------------------|
| 1 yr | 8×10^{25} | 75.2 |
| 5 yrs | 1.96×10^{26} | 38 – 92 |

Scintillator Purification Plant



Scintillator Purification Plant

- **Multi-stage distillation**
 - Dual-stream PPO distillation
 - Removes heavy metals
 - Improves UV transparency
- **N₂ / steam stripping**
 - Removes Rn, Kr, Ar, O₂
- **Water extraction**
 - Removes Ra, K, Bi
- **Metal scavenging**
 - Removes Bi, Pb
- **Microfiltration**
 - Removes dust
- **Target Levels**
 - ⁸⁵Kr: 10⁻²⁵ g/g
 - ⁴⁰K: 10⁻¹⁸ g/g
 - ³⁹Ar: 10⁻²⁴ g/g
 - U: 10⁻¹⁷ g/g
 - Th: 10⁻¹⁸ g/g


Backgrounds Budget

- Current sensitivity studies assume that in the background budget, solar neutrinos would be the dominant factor
 - $2\nu\beta\beta$ spectrum “leaks” into the ROI [8.5/23.2 c-yr]
 - Improved energy resolution with good optics
 - External backgrounds (^{208}Tl , ^{214}Bi) [3.5/23.2 c-yr]
 - Minimized with proper fiducialisation, and PSD
 - Internal backgrounds and detector response
 - U/Th [3.8/23.2 c-yr] and cosmogenics [0.1/23.2 c-yr] reduced by purification & cooling
 - Bi-Po/ (α, n) tagged with space-time coincidence
 - ^{210}Po - $2\nu\beta\beta$ / ^{210}Bi - $2\nu\beta\beta$ pile-up events reduced based on PMT-hit time distribution
 - Apply the “source-in – source-out” approach
 - Flat ^8B (ES) e^- normalized to known flux [7.2/23.2 c-yr]



SNOLAB Facility

- Depth = 2070 m (6000 m.w.e.)
- 60 muons/day in SNO+
- 10,000 sq ft class-2000 clean room

LNGS







SNOLAB




Calibration Hardware

New (Re)Design



New Technology






Calibration Sources

- Need Double encapsulation



- Limitation for ^{222}Rn , ^{90}Y

- Radioactive and optical sources α , β , γ , n, with laser injection laserball and Cherenkov




| Type | γ | | | | | β | α | n | | |
|------|------------------|------------------|------------------|------------------|-----------------|--------------------|----------------------|-----|--------------------|------|
| Src. | ^{57}Co | ^{60}Co | ^{48}Sc | ^{24}Na | ^{16}N | $^{90}\text{Y}(?)$ | $^{214}\text{Po}(?)$ | n-p | n- ^{12}C | n-Fe |
| MeV | 0.1 | 2.5 (sum) | 3.3 (sum) | 4.1 (sum) | 6.1 | 2.3 | 7.7 | 2.2 | 4.9 | ~7.5 |

Optical Calibration



Light emitted from the support structure from 92 fibres installed between PMTs. Each gives $10E^3$ - $10E^5$ photons/pulse.

$0\nu\beta\beta$ Isotope Selection





$0\nu\beta\beta$ Sensitivity in Phase II

- Improve sensitivity by improving

- Light yield and going to higher loading
 - Improve current technique
- Higher QE PMTs
 - Improved concentrators
 - Coverage to 80%


- Goal: 3% nat. Te loading

- ~ 8 tonnes ^{130}Te
- Higher QE PMTs
- $T_{1/2}^{0\nu}$ onbb ~ 10^{27} yr



$0\nu\beta\beta$ Phase III R&D

- 2x the Light Yield and same absorption with alternative approach at 3%Te



Courtesy of
Minfang Yeh of BNL

