


Pion condensation and QCD phase diagram at finite isospin density

PHAROS WG1+WG2 meeting
Coimbra September 28 2018

Jens O. Andersen

1. Collaborators: Prabal Adhikari (St Olaf)
Patrick Kneschke (UiS)
2. References: Phys. Rev. **D** 97 076005 (2018)
Phys. Rev. **D** 95, 036017 (2017)
e-Print: arXiv:1805.08599, arXiv:1807.08951



Fukushima et al. Rept. Prog. Phys. 74 (2011) 014001.


1. EoS relevant for early universe, heavy-ion collisions and compact stars.
2. Quark-gluon plasma at high temperature
3. CFL phase at large baryon chemical potential.

4. Only few exact results known (QGP, CFL).
5. Sign problem at finite μ_B . Monte Carlo simulations difficult.
6. No sign problem at finite μ_I and $\mu_B = 0$. Lattice simulations possible.¹

¹Kogut and Sinclair (2002), Brandt, Endrodi, and Schmalzbauer (2018).

Pion condensation and QCD phase diagram at finite isospin density

1. Isospin chemical potential μ_I introduces an imbalance between up and down-quarks
 $\mu_u = \mu + \mu_I$, $\mu_d = \mu - \mu_I$.
2. This talk ²



- a) Phase diagram in $\mu - \mu_I$ plane. Inhomogeneous phases and competition with a pion condensate at $T = 0$?
- b) Phase diagram in the $\mu_I - T$ plane. Chiral and deconfinement transitions?
- c) Pion stars

B. B. Brandt, G. Endrodi, and S. Schmalzbauer,
Phys. Rev. D **97**, 054514 (2018).

²Son and Stephanov (2001).

Pion condensation and QCD phase diagram at finite isospin density

1. Quark-meson model

$$\begin{aligned}\mathcal{L} = & \frac{1}{2} [(\partial_\mu \sigma)(\partial^\mu \sigma) + (\partial_\mu \pi_3)(\partial^\mu \pi_3)] + (\partial_\mu + 2i\mu_I \delta_\mu^0) \pi^+ (\partial^\mu - 2i\mu_I \delta_0^\mu) \pi^- \\ & - \frac{1}{2} m^2 (\sigma^2 + \pi_3^2 + 2\pi^+ \pi^-) - \frac{\lambda}{24} (\sigma^2 + \pi_3^2 + 2\pi^+ \pi^-)^2 \\ & + h\sigma + \bar{\psi} [i\cancel{\partial} + \mu_f \gamma^0 - g(\sigma + i\gamma^5 \boldsymbol{\tau} \cdot \boldsymbol{\pi})] \psi\end{aligned}$$

2. Chiral density wave and constant pion condensate

$$\sigma = \phi_0 \cos(qz), \quad \pi_1 = \pi_0, \quad \pi_3 = \phi_0 \sin(qz)$$

3. Meson potential with $\Delta = g\phi_0$ and $\rho = g\pi_0$

$$V_0 = \frac{1}{2} \frac{q^2}{g^2} \Delta^2 + \frac{1}{2} \frac{m^2}{g^2} \Delta^2 + \frac{1}{2} \frac{m^2 - 4\mu_I^2}{g^2} \rho^2 + \frac{\lambda}{24g^4} (\Delta^2 + \rho^2)^2 - \frac{h}{g} \Delta \cos(qz) \delta_{q,0}$$

Pion condensation and QCD phase diagram at finite isospin density

1. Quark energies

$$\begin{aligned} E_u^\pm &= E(\pm q, -\mu_I), E_d^\pm = E(\pm q, \mu_I), E_{\bar{u}}^\pm = E(\pm q, \mu_I), E_{\bar{d}}^\pm = E(\pm q, -\mu_I), \\ E(q, \mu_I) &= \left[\left(\sqrt{p_\perp^2 + \left(\sqrt{p_\parallel^2 + \Delta^2} + \frac{q}{2} \right)^2} + \mu_I \right)^2 + \rho^2 \right]^{\frac{1}{2}}, \end{aligned}$$

2. Integrate over fermions (regulator artefacts)

$$V_1 = -\frac{1}{2} N_c \int_p (E_u^\pm + E_d^\pm + E_{\bar{u}}^\pm + E_{\bar{d}}^\pm) + \text{medium contribution}$$

3. Model parameters are fixed using the on-shell renormalization scheme.

Pion condensation and QCD phase diagram at finite isospin density

4. Isolate divergences

$$\begin{aligned}
V_{\text{div}} &= -4N_c \int_p \left[\sqrt{p^2 + \Delta^2 + \rho^2} + \frac{\mu_I^2 \rho^2}{2(p^2 + \Delta^2 + \rho^2)^{\frac{3}{2}}} + \frac{3q^2 \mu_I^2 \rho^2 (4\Delta^2 + 4p_{\parallel}^2 - p_{\perp}^2 - \rho^2)}{16(p^2 + \Delta^2 + \rho^2)^{\frac{7}{2}}} \right. \\
&\quad \left. + \frac{q^2(p_{\perp}^2 + \rho^2)}{8(p^2 + \Delta^2 + \rho^2)^{\frac{3}{2}}} + \frac{q^4(p_{\perp}^2 + \rho^2)(4\Delta^2 + 4p_{\parallel}^2 - p_{\perp}^2 - \rho^2)}{128(p^2 + \Delta^2 + \rho^2)^{\frac{7}{2}}} \right] \\
&= \frac{2N_c}{(4\pi)^2} \left(\frac{e^{\gamma_E} \Lambda^2}{\Delta^2 + \rho^2} \right)^\epsilon \left\{ 2(\Delta^2 + \rho^2)^2 \Gamma(-2 + \epsilon) + q^2 \Delta^2 \Gamma(\epsilon) - 4\mu_I^2 \rho^2 \Gamma(\epsilon) \right. \\
&\quad \left. - 2q^2 \mu_I^2 \frac{\Delta^2 \rho^2}{(\Delta^2 + \rho^2)^2} \Gamma(2 + \epsilon) - \frac{q^4}{12} \frac{\Delta^2}{(\Delta^2 + \rho^2)^2} \left[(1 - \epsilon)\Delta^2 + 2\rho^2 \right] \Gamma(1 + \epsilon) \right\}.
\end{aligned}$$

5. Remainder V_{fin} is finite and reads $V_{\text{fin}} = V_1 - V_{\text{div}}$.



6. Effective potential independent of q in the limit $\Delta \rightarrow 0$.

Pion condensation and QCD phase diagram at finite isospin density

$$\begin{aligned}
V_1 &= \frac{1}{2} f_\pi^2 q^2 \left\{ 1 - \frac{4m_q^2 N_c}{(4\pi)^2 f_\pi^2} \left[\log \frac{\Delta^2 + \rho^2}{m_q^2} + H(m_\pi^2) \right] \right\} \frac{\Delta^2}{m_q^2} \\
&\quad + \frac{3}{4} m_\pi^2 f_\pi^2 \left\{ 1 - \frac{4m_q^2 N_c}{(4\pi)^2 f_\pi^2} m_\pi^2 F'(m_\pi^2) \right\} \frac{\Delta^2 + \rho^2}{m_q^2} \\
&\quad - \frac{1}{4} m_\sigma^2 f_\pi^2 \left\{ 1 + \frac{4m_q^2 N_c}{(4\pi)^2 f_\pi^2} \left[\left(1 - \frac{4m_q^2}{m_\sigma^2} \right) F(m_\sigma^2) + \frac{4m_q^2}{m_\sigma^2} - H(m_\pi^2) \right] \right\} \frac{\Delta^2 + \rho^2}{m_q^2} \\
&\quad - 2\mu_I^2 f_\pi^2 \left\{ 1 - \frac{4m_q^2 N_c}{(4\pi)^2 f_\pi^2} \left[\log \frac{\Delta^2 + \rho^2}{m_q^2} + H(m_\pi^2) \right] \right\} \frac{\rho^2}{m_q^2} \\
&\quad + \frac{1}{8} m_\sigma^2 f_\pi^2 \left\{ 1 - \frac{4m_q^2 N_c}{(4\pi)^2 f_\pi^2} \left[\frac{4m_q^2}{m_\sigma^2} \left(\log \frac{\Delta^2 + \rho^2}{m_q^2} - \frac{3}{2} \right) - G(m_\sigma^2) + H(m_\pi^2) \right] \right\} \frac{(\Delta^2 + \rho^2)^2}{m_q^4} \\
&\quad - \frac{1}{8} m_\pi^2 f_\pi^2 \left[1 - \frac{4m_q^2 N_c}{(4\pi)^2 f_\pi^2} m_\pi^2 F'(m_\pi^2) \right] \frac{(\Delta^2 + \rho^2)^2}{m_q^4} - m_\pi^2 f_\pi^2 \left[1 - \frac{4m_q^2 N_c}{(4\pi)^2 f_\pi^2} m_\pi^2 F'(m_\pi^2) \right] \frac{\Delta \delta_{q,0}}{m_q} \\
&\quad + V_{\text{fin}} + N_c \int_p \left[(E_u^\pm - \mu) \theta(\mu - E_u^\pm) + (E_d^\pm - \mu) \theta(\mu - E_d^\pm) \right] .
\end{aligned}$$



Pion condensation and QCD phase diagram at finite isospin density

1. Phase diagram and condensates in the chiral limit.



- a) First - and second-order transitions with critical endpoints.
- b) No coexistence of inhomogeneous chiral condensate and pion condensate.



Pion condensation and QCD phase diagram at finite isospin density



2. Chiral condensate and wave vector q as functions of μ_I and m_π -dependence of inhomogeneous condensate.

Pion condensation and QCD phase diagram at finite isospin density

3. Rotation of condensates and homogeneous phase diagram at the physical point.



- a) Critical m_π^c for existence of inhomogeneous condensate. (cf. Nickel PRD 2009)
- b) Critical $\mu_I^c = \frac{1}{2}m_\pi$ at $T = 0$ and Silver Blaze property.³

³T. D. Cohen, Phys. Rev. Lett. **91**, 222001 (2003).

Pion condensation and QCD phase diagram at finite isospin density

1. Wilson line

$$L(\mathbf{x}) = \mathcal{P} \exp \left[i \int_0^\beta d\tau A_4(\mathbf{x}, \tau) \right].$$

2. Polyakov loop order parameter for deconfinement

$$\Phi = \frac{1}{N_c} \langle \text{Tr} L \rangle, \quad \bar{\Phi} = \frac{1}{N_c} \langle \text{Tr} L^\dagger \rangle.$$

3. Polyakov gauge and coupling to quarks ⁴

$$A_4 = t_3 A_4^3 + t_8 A_4^8.$$

⁴K. Fukushima Phys.Lett. B **591**, 277 (2004)

Pion condensation and QCD phase diagram at finite isospin density

4. Fermionic contribution to effective potential

$$\begin{aligned} V_T = & -2T \int \frac{d^3 p}{(2\pi)^3} \left\{ \text{Tr} \log \left[1 + 3(\Phi + \bar{\Phi} e^{-\beta E_u}) e^{-\beta E_u} + e^{-3\beta E_u} \right] \right. \\ & + \text{Tr} \log \left[1 + 3(\bar{\Phi} + \Phi e^{-\beta E_{\bar{u}}}) e^{-\beta E_{\bar{u}}} + e^{-3\beta E_{\bar{u}}} \right] \\ & + \text{Tr} \log \left[1 + 3(\Phi + \bar{\Phi} e^{-\beta E_d}) e^{-\beta E_d} + e^{-3\beta E_d} \right] \\ & \left. + \text{Tr} \log \left[1 + 3(\bar{\Phi} + \Phi e^{-\beta E_{\bar{d}}}) e^{-\beta E_{\bar{d}}} + e^{-3\beta E_{\bar{d}}} \right] \right\}. \end{aligned}$$

5. $\Phi = \bar{\Phi} = 1$ one recovers the usual fermion contribution.

Pion condensation and QCD phase diagram at finite isospin density

6. Glue potential⁵

$$\frac{\mathcal{U}}{T^4} = -\frac{1}{2}a\Phi\bar{\Phi} + b \log \left[1 - 6\Phi\bar{\Phi} + 4(\Phi^3 + \bar{\Phi}^3) - 3(\Phi\bar{\Phi})^2 \right] ,$$

with

$$a = 3.51 - 2.47 \left(\frac{T_0}{T} \right) + 15.2 \left(\frac{T_0}{T} \right)^2 , \quad b = -1.75 \left(\frac{T_0}{T} \right)^3 .$$

7. μ_I -dependent parameter⁶


$$T_0(N_f, \mu_I) = T_\tau e^{-1/(\alpha_0 b(\mu_I))} .$$

⁵S. Roessner, C. Ratti and W. Weise, Phys. Rev. D **75**, 034007 (2007).

⁶B.-J. Schaefer, J. M. Pawłowski, and J. Wambach, Phys. Rev. D **76**, 074023 (2007).


Pion condensation and QCD phase diagram at finite isospin density

8. Order parameters at vanishing μ and μ_I in the QM and PQM models.



Pion condensation and QCD phase diagram at finite isospin density

1. Phase diagram⁷



1. BEC line always second order.
2. BEC line and chiral line merge.

⁷ Endrodi B. Brandt, G. Endrodi, and S. Schmalzauer Phys. Rev. D **97**, 054514 (2018)

Pion stars:

1. It has recently been suggested that pion stars form in the early universe.⁸
2. Can use EoS from the lattice to study these stars.
3. Use chiral perturbation theory or low-energy effective model, including the pions and the sigma.


$$\begin{aligned}\mathcal{L} = & \frac{1}{2} [(\partial_\mu \sigma)(\partial^\mu \sigma) + (\partial_\mu \pi_3)(\partial^\mu \pi_3)] + (\partial_\mu + 2i\mu_I \delta_\mu^0) \pi^+ (\partial^\mu - 2i\mu_I \delta_0^\mu) \pi^- \\ & - \frac{1}{2} m^2 (\sigma^2 + \pi_3^2 + 2\pi^+ \pi^-) - \frac{\lambda}{24} (\sigma^2 + \pi_3^2 + 2\pi^+ \pi^-)^2 + h\sigma\end{aligned}$$

⁸Brandt et al, arXiv:1802.06685, JOA and P. Kneschke, arXiv:1807.08951.

Pion condensation and QCD phase diagram at finite isospin density

4. Electric charge density



$$n_I = \mu_I f_\pi^2 \left[1 - \frac{m_\pi^4}{\mu_I^4} \right].$$



Pion condensation and QCD phase diagram at finite isospin density



5. Equation of state

$$\frac{P}{\epsilon} = \frac{\mu_I^2 - m_\pi^2}{\mu_I^2 + 3m_\pi^2}.$$



Pion condensation and QCD phase diagram at finite isospin density

6. Mass-radius relation and pressure/accumulated mass



Conclusions:

1. Rich phase diagrams. Onset of pion condensation at exactly $\mu_I^c = \frac{1}{2}m_\pi$.
2. No inhomogeneous chiral condensate for physical quark masses.
3. Good agreement between lattice simulations and model calculations.
 - a) Second-order transition to a BEC state.
 - b) BEC and chiral transition lines merge at large μ_I .
 - c) Mass-radius relation for pion stars.
4. If pion stars exist, what are their properties?