


A detailed wireframe model of a particle accelerator, likely the FAIR facility. It features a large, oval-shaped main ring with a grid-like structure, and a smaller, more complex ring system in the background. The model is rendered in a light gray wireframe style.

# Resonances and Space Charge


G. Franchetti

GSI/IAP/HFHF


Oxford 30/09/2026

# The issue


# Motivation: the FAIR project → Controlling beam loss







# Space charge and resonances in a bunched beam






# Space charge and resonances in a bunched beam














# The incoherent effects of space charge



# Measurements and simulations





CERN-PS 2012-2017




# Beam Profiles for $Q_{x0} = 6.104$

CERN-PS 2012-2017



# The topology of resonant orbits is relevant as their location is controlled by space charge



# Mitigation of periodic resonance crossing induced by space charge

- 1) Compensating nonlinear resonances → is difficult
- 2) Compensating space charge → is also difficult  
never been implemented



Alternative approach?



# New ideas for mitigation strategy

# Multi harmonics → towards barrer-bucket



Potential model

$$V(z) = V_{max} \sin^{2n} \left( \frac{\pi}{2} \frac{z}{z_b} \right)$$


With "n"  
harmonics



$$\begin{cases} F &= \sum_{q=1}^n V_q \sin\left(q \frac{\pi}{z_b} z + q\pi\right) \\ V_q &= V_{max} \frac{1}{2^{2n-1}} \binom{2n}{n+q} q \frac{\pi}{z_b} \end{cases}$$

# Phase space orbits




# Nonlinear synchrotron oscillation period





$$\lambda(\tilde{z}) = \frac{N_0}{z_b \Lambda_n(\sigma)} \left[ 1 - \frac{1}{\sigma^2} \sin^{2n} \left( \frac{\pi}{2} \tilde{z} \right) \right]^{\frac{m+1}{2}}$$

# Crossing the varying density




$S(w)$  “Time” for one synchrotron oscillation

$S_f(w)$  “Time” to cross the flat region



“Time” to cross the varying region

$$S_v(w) = S(w) - S_f(w)$$


# The longitudinal motion is complex



# Particles crossing, and average crossing speed





# Experimental campaign of July/August 2025




RF-harmonics


1, 2, 3, 11

G. Franchetti, H. Bartosik,  
F. Asvesta, T. Prebibaj, S. Albright






G. Franchetti, H. Bartosik,  
F. Asvesta, T. Prebibaj, S. Albright



G. Franchetti, H. Bartosik,  
F. Asvesta, T. Prebibaj, S. Albright





The asymmetry is due to a dynamical effect

$$\frac{\Delta_{r0}}{D_{r,sc}} \text{ shifts right with the beam loss}$$


# Campaign in 2026

G. Franchetti, H. Bartosik,  
F. Asvesta, T. Prebibaj, S. Albright



Analysis of data ongoing

G. Franchetti, H. Bartosik,  
F. Asvesta, T. Prebibaj, S. Albright



# Summary

Resonances and space charge yield damaging long-term effects

Multi-harmonics may be an interesting option to mitigate the periodic resonance crossing

Experiments at the PSB show very convincing results

There are intriguing details to disentangle

If confirmed, the advantages are very seductive:

No need to compensate for any resonance or to go through the E-Lenses,  
reduction of relative beam loss, increase of amount of stored beam

# This session

*Denys Wilkinson Building, Dennis Sciama Lecture Theatre, Oxford University, Physics Department* 12:30 - 13:30

## Lead talk: Resonances and Space Charge

*Giuliano Franchetti*

*Denys Wilkinson Building, Dennis Sciama Lecture Theatre, Oxford University, Physics Department* 13:30 - 13:50

## Resonance Studies in the SPS for High-Brightness Beams.

*Ingrid Mases Sole*



*Denys Wilkinson Building, Dennis Sciama Lecture Theatre, Oxford University, Physics Department* 13:50 - 14:05

## Study of beam redistribution on approach to the half integer resonance with space charge and the implications for ISIS



*Chris Warsop*

## Space charge simulation for the third order resonance corrections at J-PARC MR

*Susumu Igarashi*



*Denys Wilkinson Building, Dennis Sciama Lecture Theatre, Oxford University, Physics Department* 14:20 - 14:35

## Space Charge Effects in a Ring-Based Electron Cooler

*Sergey Seletskiy*



*Denys Wilkinson Building, Dennis Sciama Lecture Theatre, Oxford University, Physics Department* 14:35 - 14:50

## Discussion Session C-1

*Giuliano Franchetti*

*Denys Wilkinson Building, Dennis Sciama Lecture Theatre, Oxford University, Physics Department* 14:50 - 15:15

## Afternoon Coffee Break