

Matter Density Profile Effects On Neutrino Oscillations At T2HK And T2HKK

IOP HEPP / APP CONFERENCE Susana Molina Sedgwick

In collaboration with S. King, S. Parke, N. Prouse



IOP 2019



HYPER KAMIOKANDE

2

IOP 2019





IOP 2019



- Iox larger than Super-K
- Upgraded near + intermediate detector
- Multipurpose: huge research potential



IOP 2019



- Iox larger than Super-K
- Upgraded near + intermediate detector
- Multipurpose: huge research potential





IOP 2019



- Iox larger than Super-K
- Upgraded near + intermediate detector
- Multipurpose: huge research potential







IOP 2019



- Iox larger than Super-K
- Upgraded near + intermediate detector
- Multipurpose: huge research potential









IOP 2019



- Iox larger than Super-K
- Upgraded near + intermediate detector
- Multipurpose: huge research potential











IOP 2019



- Iox larger than Super-K
- Upgraded near + intermediate detector
- Multipurpose: huge research potential













IOP 2019



- 10x larger than Super-K
- Upgraded near + intermediate detector
- Multipurpose: huge research potential













IOP 2019



- Iox larger than Super-K
- Upgraded near + intermediate detector
- Multipurpose: huge research potential





















З





























5

IOP 2019





Southampton

Sensitivity estimate

5

IOP 2019





Sensitivity estimate



Parameter variation

IOP 2019





Sensitivity estimate



Density profile variation



Parameter variation

IOP 2019





Sensitivity estimate



Density profile variation



Parameter variation



But the interesting results are for Hyper-K Korea!



IOP 2019



HYPER-K KOREA



Southampton IOP 2019



HYPER-K KOREA











7

IOP 2019





Southampton

Sensitivity estimate

7

IOP 2019





Sensitivity estimate



Parameter variation

IOP 2019





Sensitivity estimate



Density profile variation



Parameter variation

IOP 2019





Sensitivity estimate





Parameter variation



Density profile variation

Profile differences





8



IOP 2019



 \Rightarrow Significant differences between matter effects in T₂HK and T₂HKK.



⇒ A varying matter density profile at T2HKK could give rise to detectable matter effects.



⇒ A varying matter density profile at T2HKK could give rise to detectable matter effects.



⇒ A varying matter density profile at T2HKK could give rise to detectable matter effects.

Second method for estimating experimental uncertainty.

Southam



⇒ A varying matter density profile at T2HKK could give rise to detectable matter effects.

Second method for estimating experimental uncertainty.

Southam

Profile effects on most probable T2HKK baseline.



⇒ A varying matter density profile at T2HKK could give rise to detectable matter effects.

Second method for estimating experimental uncertainty.

Southam

Profile effects on most probable T2HKK baseline.

THANK YOU!