



Contribution ID: 1294

Type: **Oral (Non-Student) / orale (non-étudiant)**

## **X-ray Speckle Measurements of a Shape Memory Alloy in Training**

*Tuesday 14 June 2016 09:15 (15 minutes)*

The deformation of most types of metals involves an irreversible flow of crystallographic dislocations. This allows for their ductility. The deformation of a metallic shape memory alloy (SMA), on the other hand, is accommodated by a solid-solid phase transition. If deformed in the low-temperature martensitic phase, an SMA can be returned to its original shape by raising its temperature to the point where it changes back to its high-temperature parent phase. When the reverse occurs and the transformation is from parent to martensitic phase, an SMA goes from a high-symmetry to a low-symmetry state in which a number of martensitic variants are produced. Using in situ X-ray Photon Correlation Spectroscopy (XPCS), we monitored the self-organization of martensitic variants in a CuAlNi SMA during thermal cycling. In high-angle scattering geometry, this technique uses correlation from X-ray speckle to quantify the degree of crystallographic change in a material. Our measurements revealed enhanced reversibility in the organization of the martensitic variants as the system became trained during repeated thermal cycling.

**Author:** ROGERS, Michael (University of Ottawa)

**Co-author:** SUTTON, Mark

**Presenter:** ROGERS, Michael (University of Ottawa)

**Session Classification:** T1-6 Nanostructured and Functional Nanomaterials (DCMMP-DIAP) / Nanomatériaux nanostructurés et fonctionnels (DPMCM-DPIA)

**Track Classification:** Condensed Matter and Materials Physics / Physique de la matière condensée et matériaux (DCMMP-DPMCM)