



Canadian Association  
of Physicists

Association canadienne  
des physiciens et physiciennes

Contribution ID: 126

Type: **Oral (Non-Student) / Orale (non-étudiant(e))**

## Solar KK axion search with NEWS-G

*Monday 7 June 2021 12:45 (10 minutes)*

In theories with extra dimensions, the standard QCD axion has excited states with higher mass. The axion of such theories, named the Kaluza-Klein (KK) axion, would have a significantly shorter decay time for higher mass states. This would allow for axion decays on Earth, even in the absence of a strong magnetic field. It would also mean that a fraction of heavier mass axions created in the Sun would remain gravitationally trapped in the Solar System, dominating the local density of axions.

NEWS-G is a dark matter direct detection collaboration that aims to detect low mass WIMPs using a gaseous target detector. The detector is a gas-filled metallic sphere with a high voltage electrode in its centre. While WIMP detection is its main purpose, it is also particularly suitable to KK axion detection. Since the rate of KK axion decays depends only on volume, not on mass, the use of a low density target is an asset: it allows to distinguish such decays from the background by identifying the separate locations of the capture of the two resulting photons.

This talk will cover arguments in favour of the existence of (solar) KK axions, and the work performed on data from NEWS-G detectors to set new constraints on the solar KK axion model.

**Author:** VAZQUEZ DE SOLA, Francisco Andres (Queen's University)

**Presenter:** VAZQUEZ DE SOLA, Francisco Andres (Queen's University)

**Session Classification:** M2-9 Dark matter experiment and Channel of detection II (PPD) / Expérience sur la matière sombre et canal de détection II (PPD)

**Track Classification:** Particle Physics / Physique des particules (PPD)