

Canadian Association of Physicists

Association canadienne des physiciens et physiciennes

Contribution ID: 216

Type: Invited Speaker / Conférencier(ère) invité(e)

Chemical intercalation as a versatile technique for property tuning and production of layered materials

Monday 9 June 2025 14:15 (30 minutes)

Introducing alkali metal atoms between the carbon layers of graphite to form graphite intercalation compounds (GICs), can tune the interlayer spacing and charge the graphite host through a variety of electronic ground states. Hexagonal boron nitride (hBN) is another prototypical layered material and possesses a hexagonal network consisting of B and N atoms. Because of its structural similarity to graphite, there has been several theoretical calculations predicting host-guest redox-driven hBN intercalation compounds. Based on the analogy with GICs, the hybrid structure of hBN and alkali metal atoms that are intercalated into the interlayer spacing may also exhibit interesting electronic properties and utility as a raw material for 2D materials with unprecedented physicochemical properties. However, the intercalation of alkali metal in hBN has proven to be considerably more difficult than graphite. Here, we will present our latest experimental data, showing that potassium metal can be intercalated into hBN layers. The K-intercalated hBN material and films exhibits unprecedented electronic and energy storage properties.5 We will also show new data on the processing and characterization of a new form of 1-dimensional sp3 carbon called carbon nanothreads.

Keyword-1

Chemical Intercalation

Keyword-2

Layered materials

Keyword-3

Exfoliation

Author: BEPETE, George (Concordia University)

Presenter: BEPETE, George (Concordia University)

Session Classification: (DCMMP) M2-4 Materials | Matériaux (DPMCM)

Track Classification: Technical Sessions / Sessions techniques: Condensed Matter and Materials Physics / Physique de la matière condensée et matériaux (DCMMP-DPMCM)