

LHCb VELO upgrade

Wednesday 15 September 2021 09:20 (15 minutes)

The Vertex Locator (VELO), surrounding the interaction region of the LHCb experiment, reconstructs the collision points (primary vertices) and decay vertices of long-lived particles (secondary vertices). The upgraded VELO will be composed of 52 modules placed along the beam axis divided into two retractable halves. The modules will each be equipped with 4 silicon hybrid pixel tiles, each read out with by 3 VeloPix ASICs, glued onto a thin silicon plate with embedded micro-channels that allow the circulation of liquid CO₂. The silicon sensors must withstand an integrated fluence of up to $8 \times 10^{15} \text{ 1 MeV n}_{eq}/\text{cm}^2$, a roughly equivalent dose of 400 MRad. The highest occupancy ASICs will have pixel hit rates of 900 Mhit/s and produce an output data rate of over 15 Gbit/s.

The design of the VELO upgrade will be presented with the results from the latest R\&D and detector construction.

Your name

Kazu Akiba

email

kazu.akiba@nikhef.nl

Title

Nationality

Institute

Nikhef

Authors: CARVALHO AKIBA, Kazuyoshi (Nikhef); COLLINS, Paula (CERN)

Presenter: CARVALHO AKIBA, Kazuyoshi (Nikhef)

Session Classification: Advances in Pixel Detectors and Integration Technologies I

Track Classification: Advances in Pixel Detectors and Integration Technologies