

Evaluation of Tomographic Image Reconstruction Techniques for Accurate Spent Fuel Assembly Verification

Wednesday 15 September 2021 13:03 (1 minute)

To realize the non-proliferation and security of nuclear material, the international atomic energy agency (IAEA) considers a tomographic image acquisition technique of spent fuel assemblies as a promising technique to accurately verify rod-by-rod spent fuel conditions stored in a water pool. Our previous research developed and experimentally validated a highly sensitive single-photon emission tomographic (SPECT) system to quickly evaluate the radioactivity distribution of test fuel rods in the Korea Institute of Nuclear Nonproliferation and Control (KINAC). In order to quickly verify the fuel assembly, it is important to develop the high-quality image reconstruction algorithm that enables image acquisition within a short time. The purpose of this study is to evaluate advanced tomographic image reconstruction techniques to accurately identify patterns of missing fuel rods.

Rotational projection image data sets were obtained for 16 patterns of test fuel rods for a total of 900 seconds using the SPECT system installed at KINAC. The projection images were acquired every 5 degrees while four 64-channel detectors rotated 90 degrees. The acquired images were reconstructed in the following methods: filtered back-projection (FBP), simultaneous iterative reconstruction technique (SIRT), order-subset simultaneous algebraic reconstruction technique (OS-SART), and maximum likelihood expectation maximization (MLEM). As a result of quantitative evaluation, the image quality of the MLEM showed the best performance. This algorithm preserved the image intensity and edge, and global homogeneity was significantly better with the reduced generative noise than that of other algorithms. Therefore, to accurately verify the patterns of fuel rods, we improved the signal-to-noise ratio of the tomographic image with the advanced image reconstruction technique. We expect that even for the low-quality measured data with the short-time scan of the SPECT system, this advanced technique will show better discriminability of the patterns of fuel rods in the assembly.

Your name

Hyemi Kim

email

ab120266@yonsei.ac.kr

Title

Dr

Nationality

Republic of Korea

Institute

Department of Radiation Oncology, Wonju Severance Christian Hospital, Republic of Korea

Author: KIM, Hyemi

Co-authors: Mr LEE, Minjae (Department of Radiation Convergence Engineering, Yonsei University, Republic of Korea); Mr CHOI, Hyung Joo (Department of Radiation Convergence Engineering, Yonsei University, Republic of Korea); Dr CHOI, Hyun Joon (Department of Radiation Oncology, Wonju Severance Christian Hospital, Republic of Korea); Prof. MIN, Chul Hee (Department of Radiation Convergence Engineering, Yonsei University, Republic of Korea)

Presenter: KIM, Hyemi

Session Classification: Poster Session 2 (X-ray and Gamma Ray Detectors; Applications in Nuclear Physics and Nuclear Industry; Detectors for FELS, Synchrotrons and Other Advanced Light Sources; Detectors for Neutron Facilities; Novel Ionising Radiation Detection Systems)

Track Classification: Applications in Nuclear Physics and Nuclear Industry