



Contribution ID: 150

Type: **Poster presentation**

## **FPGA online tracking algorithm for the PANDA straw tube tracker**

*Tuesday 7 June 2016 15:00 (1h 30m)*

An FPGA based online tracking algorithm for helix track reconstruction in a solenoidal field, developed for the PANDA spectrometer, is described. Employing the Straw Tube Tracker detector with 4636 straw tubes, the algorithm includes a complex track finder, and a track fitter adopting Xilinx IP cores. Implemented in VHDL, the algorithm is tested on a Vertex4 FX60 FPGA chip with different types of events, at different event rates. A processing time of  $7 \mu\text{s}$  per event for an average of 6 charged tracks is obtained. The momentum resolution is about 3% (4%) for  $p_t$  ( $p_z$ ). Comparing to the offline tracking algorithm running at CPU, an improvement of 3 orders of magnitudes in processing time is obtained, however at 3 times worse resolution. The algorithm can deal with severe overlapping of events which are typical for interaction rates above 10 MHz.

**Author:** Dr LIANG, Yutie (Giessen University)

**Co-author:** KUEHN, Wolfgang (Justus-Liebig-Universitaet Giessen (DE))

**Presenter:** Dr LIANG, Yutie (Giessen University)

**Session Classification:** Poster session 1

**Track Classification:** Real Time System Architectures and Intelligent Signal Processing