Theoretical perspective on dark matter (and neutrino) detection

Louis E. Strigari
Texas A&M University
Mitchell Institute for Fundamental Physics and Astronomy

Tau Lepton 2021
Sept. 29, 2021



Artwork by Sandbox Studio, Chicago with Ana Kova

Direct detection of weak-scale dark matter







SNOWMASS 2013

Search for Coherent Elastic Scattering of Solar ^{8}B Neutrinos in the XENON1T Dark Matter Experiment

XENON collaboration, PRL 126 (2021) 091301: 2012.02846 [hep-ex]





Astrophysical neutrinos and dark matter









Coherent elastic neutrino-nucleus scattering (CEvNS)



Neutral current interaction; Total scattering amplitude sum of that on constituent nucleons

Small momentum transfer relative to target size implies coherent enhancement

Due to Standard Model couplings coherent enhancement due to neutrons

Low energy recoil distribution implies difficult to detect

Coherent effects of a weak neutral current

Daniel Z. Freedman†
National Accelerator Laboratory, Batavia, Illinois 60510
and Institute for Theoretical Physics, State University of New York, Stony Brook, New York 11790
(Received 15 October 1973; revised manuscript received 19 November 1973)



Brice et al, 1311.5958

Complementarity in CEvNS

COHERENT

Reactors

Astrophysical sources





COHERENT



Prompt: $\pi^+ \rightarrow \mu^+ + \nu_\mu$

Delayed: $\mu^+ \rightarrow e^+ + \overline{\nu_\mu} + \nu_e$

Observation of coherent elastic neutrino-nucleus scattering

D. Akimov, J. B. Albert, P. An, C. Awe, P. S. Barbeau, B. Becker, V. Belov, A. Brown, A. Bolozdynya, B. Cabrera-Palmer, M. Cervantes, J. I. Collar,* R. J. Cooper, R. L. Cooper, C. Cuesta, D. J. Dean, J. A. Detwiler, A. Eberhardt, Y. Efremenko, S. R. Elliott, E. M. Erkela, L. Fabris, M. Febbraro, N. E. Fields, W. Fox, Z. Fu, A. Galindo-Uribarri, M. P. Green, M. Hai, M. R. Heath, S. Hedges, D. Hornback, T. W. Hossbach, E. B. Iverson, L. J. Kaufman, S. Ki, S. R. Klein, A. Khromov, A. Konovalov, M. Kremer, A. Kumpan, C. Leadbetter, L. Li, W. Lu, K. Mann, D. M. Markoff, K. Miller, H. Moreno, P. E. Mueller, J. Newby, J. L. Orrell, C. T. Overman, D. S. Parno, S. Penttila, G. Perumpilly, H. Ray, J. Raybern, D. Reyna, G. C. Rich, D. Rimal, D. Rudik, K. Scholberg, B. J. Scholz, G. Sinev, W. M. Snow, V. Sosnovtsev, A. Shakirov, S. Suchyta, B. Suh, R. Tayloe, R. T. Thornton, I. Tolstukhin, J. Vanderwerp, R. L. Varner, C. J. Virtue, Z. Wan, J. Yoo, C.-H. Yu, A. Zawada, J. Zettlemoyer, A. M. Zderic, COHERENT Collaboration

First Detection of Coherent Elastic Neutrino-Nucleus Scattering on Argon

D. Akimov,[1,2] J.B. Albert,[3] P. An,[4,5] C. Awe,[4,5] P.S. Barbeau,[4,5] B. Becker,[6] V. Belov,[1,2] M.A. Blackston,[7] L. Blokland,[6] A. Bolozdynya,[2] B. Cabrera-Palmer,[8] N. Chen,[9] D. Chernyak,[10] E. Conley,[4] R.L. Cooper,[11,12] J. Daughhetee,[6] M. del Valle Coello,[3] J.A. Detwiler,[9] M.R. Durand,[9] Y. Efremenko,[6,7] S.R. Elliott,[12] L. Fabris,[7] M. Febbraro,[7] W. Fox,[3] A. Galindo-Uribarri,[6,7] M.P. Green,[5,7,13] K.S. Hansen,[9] M.R. Heath,[7] S. Hedges,[4,5] M. Hughes,[3] T. Johnson,[4,5] M. Kaemingk,[11] L.J. Kaufman,[3,*] A. Khromov,[2] A. Konovalov,[1,2] E. Kozlova,[1,2] A. Kumpan,[2] L. Li,[4,5] J.T. Librande,[9] J.M. Link,[14] J. Liu,[10] K. Mann,[5,7] D.M. Markoff,[5,15] O. McGoldrick,[9] H. Moreno,[11] P.E. Mueller,[7] J. Newby,[7] D.S. Parno,[16] S. Penttila,[7] D. Pershey,[4] D. Radford,[7] R. Rapp,[16] H. Ray,[17] J. Raybern,[4] O. Razuvaeva,[1,2] D. Reyna,[8] G.C. Rich,[18] D. Rudik,[1,2] J. Runge,[4,5] D.J. Salvat,[3] K. Scholberg,[4] A. Shakirov,[2] G. Simakov,[1,2,19] G. Sinev,[4] W.M. Snow,[3] V. Sosnovtsev,[2] B. Suh,[3] R. Tayloe,[3] K. Tellez-Giron-Flores,[14] R.T. Thornton,[3,12] I. Tolstukhin,[3,†] J. Vanderwerp,[3] R.L. Varner,[7] C.J. Virtue,[20] G. Visser,[3] C. Wiseman,[9] T. Wongjirad,[21] J. Yang,[21] Y.-R. Yen,[16] J. Yoo,[22,23] C.-H. Yu,[7] and J. Zettlemoyer[3]
(COHERENT collaboration)



Scientific impact of COHERENT results

Non-standard interactions (NSI)





Independent constraints from oscillation experiments
Heavy mediators parameterized with EFT
Dark hypercharge gauge boson; Dark Z boson; Hidden Sector Fermions

Barranco et al. 2005, Scholberg 2005; Liao & Marfatia 2017; Lindner et al. 2017; Farzan et al. 2018; Abdullah et al. 2018, Brdar et al. 2018, Datta et al. 2019



XENON collaboration, PRL 126 (2021) 091301: 2012.02846 [hep-ex]



Nuclear structure

Measurement of the neutron distribution in the nucleus [Cadeddu, Dordei, Giunti, Li, Zhang, 2019; Aristizibal-Sierra, Liao, Marfatia, 2019; Hoferichter, Menendez, Schwenk 2020]

CEvNS at nuclear reactors





Exploring CEνNS with NUCLEUS at the Chooz Nuclear Power Plant

G. Angloher[1], F. Ardellier-Desages[2,3], A. Bento[1,4], L. Canonica[1], A. Erhart[5], N. Ferreiro[1], M. Friedl[6], V.M. Ghete[6], D. Hauff[1], H. Kluck[6,7,*], A. Langenkämper[5,*], T. Lasserre[2,3], D. Lhuillier[2], A. Kinast[5], M. Mancuso[1], J. Molina Rubiales[8], E. Mondragon[5], G. Munch[8], C. Nones[2], L. Oberauer[5], A. Onillon[2], T. Ortmann[5], L. Pattavina[5], F. Petricca[1], W. Potzel[5], F. Pröbst[1], F. Reindl[6,7], J. Rothe[1,*], J. Schieck[6,7], S. Schönert[5], C. Schwertner[6,7], L. Scola[2], L. Stodolsky[1], R. Strauss[5], M. Vivier[2], V. Wagner[2,*,†], and A. Zolotarova[2]
(The NUCLEUS Collaboration)

The CONNIE experiment

A. Aguilar-Arevalo[1], X. Bertou[2], C. Bonifazi[3], M. Butner[4], G. Cancelo[4], A. Castaneda Vazquez[1], B. Cervantes Vergara[1], C.R. Chavez[5], H. Da Motta[6], J.C. D'Olivo[1], J. Dos Anjos[6], J. Estrada[4], G. Fernandez Moroni[7,8], R. Ford[4], A. Foguel[3,6], K.P. Hernandez Torres[1], F. Izraelevitch[4], A. Kavner[9], B. Kilminster[10], K. Kuk[4], H.P. Lima Jr.[6], M. Makler[6], J. Molina[5], G. Moreno-Granados[1], J.M. Moro[11], E.E. Paolini[7,12], M. Sofo Haro[2], J. Tiffenberg[4], F. Trillaud[1], and S. Wagner[6,13]

Coherent Neutrino Scattering with Low Temperature Bolometers at Chooz Reactor Complex

J. Billard[1], R. Carr[2], J. Dawson[3], E. Figueroa-Feliciano[4], J. A. Formaggio[2], J. Gascon[1], M. De Jesus[1], J. Johnston[2], T. Lasserre[5,6], A. Leder[2], K. J. Palladino[7], S. H. Trowbridge[2], M. Vivier[5], and L. Winslow[2]

Research program towards observation of neutrino-nucleus coherent scattering

H T Wong[1,*], H B Li[1], S K Lin[1], S T Lin[1], D He[2], J Li[2], X Li[2], Q Yue[2], Z Y Zhou[3] and S K Kim[4]

[1] Institute of Physics, Academia Sinica, Taipei 11529, Taiwan.
[2] Department of Engineering Physics, Tsing Hua University, Beijing 100084, China.
[3] Department of Nuclear Physics, Institute of Atomic Energy, Beijing 102413, China.
[4] Department of Physics, Seoul National University, Seoul 151-742, Korea.

Background Studies for the MINER Coherent Neutrino Scattering Reactor Experiment

G. Agnolet[a], W. Baker[a], D. Barker[b], R. Beck[a], T.J. Carroll[c], J. Cesar[c], P. Cushman[b], J.B. Dent[d], S. De Rijck[c], B. Dutta[a], W. Flanagan[c], M. Fritts[b], Y. Gao[a,e], H.R. Harris[a], C.C. Hays[a], V. Iyer[f], A. Jastram[a], F. Kadribasic[a], A. Kennedy[b], A. Kubik[a], I. Ogawa[g], K. Lang[c], R. Mahapatra[a], V. Mandic[b], R.D. Martin[h], N. Mast[b], S. McDeavitt[i], N. Mirabolfathi[a], B. Mohanty[f], K. Nakajima[g], J. Newhouse[i], J.L. Newstead[j], D. Phan[c], M. Proga[c], A. Roberts[k], G. Rogachev[l], R. Salazar[c], J. Sander[k], K. Senapati[f], M. Shimada[g], L. Strigari[a], Y. Tamagawa[g], W. Teizer[a], J.I.C. Vermaak[i], A.N. Villano[b], J. Walker[m], B. Webb[a], Z. Wetzel[a], S.A. Yadavalli[c]

New physics searches with reactors and accelerators





LSND, Mini-Boone results may be interpreted as ~ eV sterile neutrinos

Gallium, reactor data also may be interpreted as sterile neutrinos

However, some data not consistent with this interpretation (MINOS/IceCube)

COHERENT should be sensitive to sterile neutrinos with several years of data

Sterile neutrinos: Anderson et al. 2012; Dutta et al. 2016; Blanco, Machado, Hooper 2019; Miranda et al. 2020

Weak mixing angle: Fernandez-Moroni et al. 2021

Next generation dark matter and neutrino detection



Solar neutrinos

Borexino has performed a multi-component analysis of the Solar neutrino spectrum using neutrino-electron elastic scattering [Borexino Collaboration, Phys.Rev.D 100 (2019) 8, 082004 1707.09279]

Discovery of the the CNO component of the Solar neutrino flux [Borexino collaboration, Nature 587 (2020) 577-582 2006.15115]

Borexino + solar neutrino data still unable to distinguish between low and high metallicity Solar neutrino models

Measurement of neutral current component of the 8B spectrum with CEvNS in a DM detector would directly measure the Solar metallicity

New bound on NSI [Dutta, Liao, Strigari, Walker 2017] and Sterile neutrinos [Billard, LS, Figueroa-Feliciano 2014]





Supernova neutrinos





Lang, McCabe, Richard, Tamborra, Phys.Rev.D 94 (2016) 10, 103009 1606.09243

Neutral current sensitivity to all neutrino flavor components

Sensitivity to both Galactic supernova burst [Horiwitz et al. 2003; Lang et al. 2016] and diffuse supernova neutrino background (DSNB) [Strigari 2009]

Atmospheric neutrinos







Detection with CEvNS would be the measurement of the lowest energy atmospheric neutrinos

Flux sensitive to Solar modulation, geomagnetic effects

Sensitivity to NSI [Dutta, Lang, Liao, Strigari, Sinha, **Thompson** JCAP 2020]

Next generation dark matter and neutrino detection







Newstead, Lang, Strigari 2020

Dark side of the Solar neutrino parameter space





Oscillation data still allow for large NSI couplings and MSW LMA *dark side* solution [Miranda, Valle, Tortola, 2006]

Changes octant of solar angle and sign of mass ordering

Non-oscillation experiments (e.g. coherent scattering) required to lift existing degeneracy

Coloma, Denton, Gonzalez-Garcia, Maltoni 2017; Denton, Farzan, Shoemaker 2018; Denton & Gehrlein 2020

Solar neutrino-electron scattering





Xenon collaboration, 2020

Rise in electron recoil events at low energies may be explained by neutrino NSI

High precision measurement can measure the neutrino luminosity of the Sun [Newstead, Lang, Strigari 2018]

Dark matter with directional detectors



Mayet et al. Phys. Reports 2016





O'Hare et al. PRD 92 (2015) 6, 063518 1505.08061

Grothaus, Fairbairn, Monroe, PRD 2014; O'Hare, Billard, Figueroa-Feliciano, Green, Strigari 2015

CEvNS with directional detectors

Standard Model







BSM





Abdullah, Aristizabal-Sierra, Dutta, Strigari
Phys.Rev.D 102 (2020) 1, 015009 2003.11510

Directional dark matter and neutrino detection:

Mayet et al. Phys. Reports 2016 Grothaus, Fairbairn, Monroe, PRD 2014; O'Hare, Billard, Figueroa-Feliciano, Green, Strigari 2015

CEvNS with directional detectors









Aristizabal-Sierra, Dutta, Kim, Snowden-Ifft, Strigari, 2021: 2103.10857

Frontiers in neutrinos and dark matter

Astrophysics



High-energy Physics



Nuclear Physics





Two community SNOWMASS white papers: CEvNS Theory + Experiment (Strigari/Barbeau/Strauss); G3 dark matter detection (Rafael Lang et al.)