x-dependence of transversity GPDs on the lattice

Thursday 9 December 2021 10:55 (25 minutes)

In this talk we present results for isovector transversity generalized parton distributions (GPDs) of the proton obtained within lattice QCD. We employ the quasi-distribution formalism, which relies on computations of nonlocal matrix elements of boosted hadron states. Large momentum effective theory (LaMET) is then used to match quasi- to light-cone GPDs.

Results are obtained on an $N_f = 2 + 1 + 1$ ensemble of maximally twisted mass fermions, with pion mass $M_{\pi} = 260$ MeV and lattice spacing $a \simeq 0.093$ fm. The proton is boosted up to 1.67 GeV. Using this setup we disentangle the four transversity GPDs that exist for the proton $(H_T, E_T, \tilde{H}_T, \tilde{E}_T)$ and extract the *x*-dependence of the GPDs at zero and nonzero skewness.

Authors: SCAPELLATO, Aurora; ALEXANDROU, Constantia; STEFFENS, Fernanda (University of Bonn); JANSEN, Karl (DESY); CICHY, Krzystof (Adam Mickiewicz University); HADJIYIANNAKOU, Kyriakos (The Cyprus Institute); CONSTANTINOU, Martha (Temple University)

Presenter: SCAPELLATO, Aurora

Session Classification: Session II