

# Phenomenology 2020 Symposium



Contribution ID: 1031

Type: **Parallel Talk**

## Learning Physics at Future $e^-e^+$ Colliders with Machine

Monday 4 May 2020 17:00 (15 minutes)

Information deformation and loss in jet clustering are among the major limitations for precisely measuring hadronic events at future  $e^-e^+$  colliders. Because of their dominance in data, the measurements of such events are crucial for advancing the precision frontier of Higgs and electroweak physics in the next decades. We show that this difficulty can be well-addressed by synergizing the event-level information into the data analysis, with the techniques of deep neural network. For this purpose, we introduce a CMB-like observable scheme, where the event-level kinematics is encoded as the Fox-Wolfram (FW) moments at leading order and multi-spectra at higher orders. Then we develop a series of jet-level (w/ and w/o the FW moments) and event-level classifiers, and analyze their sensitivity performance comparatively. As part of the benchmark study, we analyze the precision of measuring Higgs decay width at  $e^-e^+$  colliders with the data of  $5\text{ab}^{-1}@240\text{GeV}$ . The precision obtained is significantly better than the baseline ones presented in documents. We expect this strategy to be applied to many other hadronic-event measurements at future  $e^-e^+$  colliders, and to open a new angle for evaluating their physics capability.

### Summary

Would better be in a machine-learning-heavy session.  
Otherwise with future lepton collider (CEPC/FCC-ee) session.

**Authors:** LIU, Tao (The Hong Kong University of Science and Technology (HK)); XU, Sijun (Hong Kong University of Science and Technology); Ms LI, Yingying (HKUST); LI, LINGFENG (UC Davis)

**Presenter:** LI, LINGFENG (UC Davis)

**Session Classification:** Tools

**Track Classification:** Tools & Software