9th International Workshop on Multiple Partonic Interactions at the LHC

Contribution ID: 59

## Type: not specified

## Multiplicity Dependence of Non-extensive Parameters for Strange and Multi-Strange Particles in Proton-Proton Collisions at $\sqrt{s} = 7$ TeV at the LHC

*Tuesday 12 December 2017 17:20 (15 minutes)* 

High-energy heavy-ion collisions at RHIC and LHC provide a unique opportunity to study nuclear matter under extreme conditions i.e. at high temperature and/or

energy density. Due to the high multiplicities produced in p + p collisions, one can use the statistical models to describe the particle production mechanism. As thermodynamically consistent Tsallis statistics has been successful in describing the transverse momentum  $(p_T)$  spectra of identified particles, we use this distribution to fit the entire  $p_T$  spectra and study the Tsallis parameters as a function of multiplicity as well as mass for the strange  $(K_S^0, \Lambda + \bar{\Lambda})$  and multi-strange particles  $(\Xi^- + \bar{\Xi}^+, \Omega^- + \bar{\Omega}^+)$  in p + p collisions at  $\sqrt{s} = 7$  TeV. The extracted non-extensive parameter decreases towards 1 for high multiplicity event classes except  $K_S^0$ , shows the tendency of the produced system to equilibrate with higher multiplicities. Similarly T shows a systematic increase with multiplicity, the heaviest baryons showing the

steepest increase. This is an indication of a mass hierarchy in particle freeze-out. The radius has a tendency to remain constant at high multiplicities. These changes have implications for the kinetic freeze-out conditions where the heavy multi-strange hadrons are seen to have an earlier kinetic freeze-out, meaning they come from a smaller volume at a higher temperature. These results show that the Tsallis distribution is an excellent tool to analyze high-energy p + p collisions

**Authors:** KHUNTIA, Arvind (Indian Institute of Technology Indore (IN)); TRIPATHY, Sushanta (Indian Institute of Technology Indore (IN)); SAHOO, Raghunath (Indian Institute of Technology Indore (IN)); CLEYMANS, Jean (Department of Physics)

Presenter: KHUNTIA, Arvind (Indian Institute of Technology Indore (IN))

Session Classification: WG5: High Multiplicities