

Phenomenology 2025 Symposium



Contribution ID: 25

Type: **not specified**

Did IceCube discover Dark Matter around Blazars?

Monday 19 May 2025 14:30 (15 minutes)

Blazars are a subclass of active galactic nuclei (AGN), the brightest continuously emitting sources in the Universe, powered by accreting supermassive black holes (SMBH). Their defining characteristic is the presence of powerful, back-to-back relativistic jets of protons and electrons, with one jet closely aligned in the direction of Earth. This offers a unique opportunity to probe physics Beyond the Standard Model. The jet can in fact interact with the surrounding Dark Matter in the host galaxy's halo, where the presence of the SMBH induces a spike in density, offering compelling direct and indirect detection prospects. A key signature of this interaction is the production of high-energy neutrinos, as secondary products of the proton disintegrating in the collision. The resulting outgoing neutrino flux is qualitatively and quantitatively different from the one expected via Standard Model processes alone and, notably, provides a better fit to observations for a large region of unexplored light Dark Matter parameter space. This raises the intriguing question of whether high-energy neutrino observations from blazars could represent the first indirect detection of Dark Matter.

Mini Symposia (Invited Talks Only)

Plenary (Invited talks only)

Authors: Dr GRANELLI, Alessandro (Università di Bologna and INFN); DE MARCHI, Andrea Giovanni (Università di Bologna and INFN); Dr SALA, Filippo (Università di Bologna and INFN); Mr NAVA, Jacopo (Università di Bologna and INFN)

Presenter: DE MARCHI, Andrea Giovanni (Università di Bologna and INFN)

Session Classification: Dark Matter

Track Classification: Dark Matter Theory and Detection