

# ASPECTS OF FUTURE COLLIDERS

Tao Han

University of Pittsburgh


PPC 2022 @ Washington University

June 10, 2022



- HL – LHC Leads the Way
- Future Collider Agora & Physics Reach
- Fermilab Site Fillers


# COLLIDERS: PRIMARY TOOLS AT THE ENERGY FRONTIER



- EWSB:  
Higgs & extension
  - Particle DM:  
WIMP & beyond
  - Neutrino masses:  
Majorana &  $CP_\nu$
  - Flavor &  $CP_\nu$   
Scale & symmetry
  - BSM ...
- Complementarity  
to Astro-physics  
& Cosmology

Frank Zimmermann, Lepton-Photon Conf. 2022

# LHC ROCKS!



LHC: The energy frontier & precision frontier!

# HIGH-LUMINOSITY LHC





## HL-LHC

- Fully approved in 2016, technology available, construction well underway!



- Run 3 started: beams in April 22, 2022
- Stable beam collisions detected by ATLAS/CMS
- more excitement to come!

# Sample physics reach projection @ HL-LHC



and plus much more ...

HL-LHC: arXiv:1812.07831;

Christian Ohm, Lepton-Photon Conf. 2022

# Beyond the LHC: Challenges for accelerator technology

- Reduce synchrotron radiation
- Strong bending magnetic field
- Increase accelerating gradient
- Rare beam particle production  $e^+$ , muon ...
- Costs, sustainability / power consumption



- Accelerator Frontier → Implementation Task Force
- Energy Frontier/Neutrino Frontier → Physics goals

PLEASE join the community effort: July 17-26

<http://seattlesnowmass2021.net/registration>

Early-bird deadline next Monday June 13<sup>th</sup> (midnight)!

# FUTURE COLLIDERS AGORA

8 Higgs/EW factories:

17 HE Colliders:

Name	Details	Name	Details
		<b>Cryo-Cooled Copper linac</b>	$e+e-$ , $\sqrt{s} = 2$ TeV, $L = 4.5 \times 10^{34}$
		<b>High Energy CLIC</b>	$e+e-$ , $\sqrt{s} = 1.5 - 3$ TeV, $L = 5.9 \times 10^{34}$
<b>CepC</b>	$e+e-$ , $\sqrt{s} = 0.24$ TeV, $L = 3.0 \times 10^{34}$	<b>High Energy ILC</b>	$e+e-$ , $\sqrt{s} = 1 - 3$ TeV
<b>CLIC (Higgs factory)</b>	$e+e-$ , $\sqrt{s} = 0.38$ TeV, $L = 1.5 \times 10^{34}$	<b>FCC-hh</b>	$pp$ , $\sqrt{s} = 100$ TeV, $L = 30 \times 10^{34}$
<b>ERL ee collider</b>	$e+e-$ , $\sqrt{s} = 0.24$ TeV, $L = 73 \times 10^{34}$	<b>SPPC</b>	$pp$ , $\sqrt{s} = 75/150$ TeV, $L = 10 \times 10^{34}$
<b>FCC-ee</b>	$e+e-$ , $\sqrt{s} = 0.24$ TeV, $L = 17 \times 10^{34}$	<b>Collider-in-Sea</b>	$pp$ , $\sqrt{s} = 500$ TeV, $L = 50 \times 10^{34}$
<b>gamma gamma</b>	X-ray FEL-based $\gamma\gamma$ collider	<b>LHeC</b>	$ep$ , $\sqrt{s} = 1.3$ TeV, $L = 1 \times 10^{34}$
<b>ILC (Higgs factory)</b>	$e+e-$ , $\sqrt{s} = 0.25$ TeV, $L = 1.4 \times 10^{34}$	<b>FCC-eh</b>	$ep$ , $\sqrt{s} = 3.5$ TeV, $L = 1 \times 10^{34}$
<b>LHeC</b>	$ep$ , $\sqrt{s} = 1.3$ TeV, $L = 0.1 \times 10^{34}$	<b>CEPC-SPPpC-eh</b>	$ep$ , $\sqrt{s} = 6$ TeV, $L = 4.5 \times 10^{33}$
<b>MC (Higgs factory)</b>	$\mu\mu$ , $\sqrt{s} = 0.13$ TeV, $L = 0.01 \times 10^{34}$	<b>VHE-ep</b>	$ep$ , $\sqrt{s} = 9$ TeV
		<b>MC – Proton Driver 1</b>	$\mu\mu$ , $\sqrt{s} = 1.5$ TeV, $L = 1 \times 10^{34}$
		<b>MC – Proton Driver 2</b>	$\mu\mu$ , $\sqrt{s} = 3$ TeV, $L = 2 \times 10^{34}$
		<b>MC – Proton Driver 3</b>	$\mu\mu$ , $\sqrt{s} = 10 - 14$ TeV, $L = 20 \times 10^{34}$
		<b>MC – Positron Driver</b>	$\mu\mu$ , $\sqrt{s} = 10 - 14$ TeV, $L = 20 \times 10^{34}$
		<b>LWFA-LC (e+e- and <math>\gamma\gamma</math>)</b>	Laser driven; $e+e-$ , $\sqrt{s} = 1 - 30$ TeV
		<b>PWFA-LC (e+e- and <math>\gamma\gamma</math>)</b>	Beam driven; $e+e-$ , $\sqrt{s} = 1 - 30$ TeV
		<b>SWFA-LC</b> <small>2/10/202</small>	Structure wakefields; $e+e-$ , $\sqrt{s} = 1 - 30$ TeV

# FUTURE COLLIDERS UNDER DISCUSSIONS\*

Snowmass 2021 Energy Frontier Collider Study Scenarios

Collider	Type	$\sqrt{s}$	P [%] $e^-/e^+$	$L_{int}$ $ab^{-1}$
HL-LHC	pp	14 TeV		6
ILC	ee	250 GeV	$\pm 80 / \pm 30$	2
		350 GeV	$\pm 80 / \pm 30$	0.2
		500 GeV	$\pm 80 / \pm 30$	4
		1 TeV	$\pm 80 / \pm 20$	8
CLIC	ee	380 GeV	$\pm 80 / 0$	1
		1.5 TeV	$\pm 80 / 0$	2.5
		3.0 TeV	$\pm 80 / 0$	5
CEPC	ee	$M_Z$		16
		$2M_W$		2.6
		240 GeV		5.6
FCC-ee	ee	$M_Z$		150
		$2M_W$		10
		240 GeV		5
		$2 M_{top}$		1.5
FCC-hh	pp	100 TeV		30
LHeC	ep	1.3 TeV		1
FCC-eh	ep	3.5 TeV		2
muon-collider (higgs)	$\mu\mu$	125 GeV		0.02
High energy muon-collider	$\mu\mu$	3 TeV		1
		10 TeV		10
		14 TeV		20
		30 TeV		90

Higgs factories



High energy frontier

\* Snowmass Energy Frontier: <https://snowmass21.org>



# ILC (International Linear Collider) as a Higgs Factory & beyond


Under serious consideration in Japan; Pre-lab proposed  
<https://arxiv.org/abs/1901.09829>, 2106.00602



$E_{cm} = 250 \text{ GeV} / 2 \text{ ab}^{-1} / \text{yr}$ : a Higgs factory  
 $= 500 \text{ GeV} / 4 \text{ ab}^{-1} / \text{yr}$ : a top-quark factory  
 $= 1000 \text{ GeV} / 8 \text{ ab}^{-1} / \text{yr}$ : new particle threshold

# Future Circular Collider (FCC): CERN


## CEPC/SppC: China



**FCC-ee**  
**80/100 km**  
**90 - 400 GeV**

$10^{12}$  Z;  $10^6$  Higgs bosons;  
 $10^6$  top quark pairs


**FCC-hh**  
**80 /100 km, 16/20T**  
**100 TeV**



Open new energy frontier!

<https://arxiv.org/abs/1607.01831>, <https://arxiv.org/abs/1606.00947>;  
Arkani-Hamed, TH, Mangano, LT Wang, Phys. Rept. 1511.06495.

# Recent technological breakthroughs:




Proton-Driver:


Muon Accelerator Program  
map.fnal.gov

New results on  $\mu$  cooling by MICE collaboration  
Nature 508(2020)53

LEMMA:  $e^+e^-$  (at rest)  $\rightarrow \mu^+\mu^-$  (at threshold)



Low EMittance Muon Accelerator  
web.infn.it/LEMMA



J.P. Delahauge et al., arXiv:1901.06150

# Muon Collider benchmark points:

- The Higgs factory:

$$E_{\text{cm}} = m_H$$

$$L \sim 4 \text{ fb}^{-1}/\text{yr}$$

$$\Delta E_{\text{cm}} \sim 5 \text{ MeV}$$

(Current Snowmass 2021 point)

Parameter	Units	Higgs
CoM Energy	TeV	0.126
Avg. Luminosity	$10^{34} \text{ cm}^{-2} \text{ s}^{-1}$	0.008
Beam Energy Spread	%	0.004
Higgs Production/ $10^7$ sec		13'500
Circumference	km	0.3

- Multi-TeV colliders: Lumi-scaling scheme:  $\sigma L \sim \text{const.}$

$$L \gtrsim \frac{5 \text{ years}}{\text{time}} \left( \frac{\sqrt{s}_\mu}{10 \text{ TeV}} \right)^2 2 \cdot 10^{35} \text{ cm}^{-2} \text{ s}^{-1} \quad 1 \text{ ab}^{-1} / \text{yr}$$

The representative choices:

$$E_{\text{cm}} = 3, 6, 10, 14, 30 \text{ TeV}; L = 1, 4, 10, 20, 90 \text{ ab}^{-1}$$

International Muon Collider Collaboration

<https://muoncollider.web.cern.ch>



European Strategy, arXiv:1910.11775; arXiv:1901.06150; arXiv:2007.15684.


TH, Ma, Xie, arXiv:2007.14300, The Muon Smasher's Guide, arxiv:2103.14043.

# PHYSICS REACH (VERY SELECTIVE)

## Precision Higgs physics

	HL-LHC	HL-LHC muC: +10 TeV	HL-LHC +10 TeV + ee
$\kappa_W$	1.7	0.1	0.1
$\kappa_Z$	1.5	0.4	0.1
$\kappa_g$	2.3	0.7	0.6
$\kappa_\gamma$	1.9	0.8	0.8
$\kappa_{Z\gamma}$	10	7.2	7.1
$\kappa_c$	-	2.3	1.1
$\kappa_b$	3.6	0.4	0.4
$\kappa_\mu$	4.6	3.4	3.2
$\kappa_\tau$	1.9	0.6	0.4
$\kappa_t^*$	3.3	3.1	3.1

\* No input used for  $\mu$  collider




If SM tested at  $\Delta\kappa_\lambda < O(10\%)$ ,  
then EW underwent a cross-over transition.

C. Aime et al., Muon Collider Physics Summary: arXiv:2203.07256

# DM Searches

From LUX collaboration




GeV low mass:

Direct Detection difficult;  
Collider complementary

100 GeV or higher mass:

HE Colliders extend threshold



# The mass reach for minimal WIMP DM @ muC



- A 14-TeV muC fully covers the thermal target  $M \sim 3$  TeV
- More advantageous than hadron colliders i.e. FCC-hh

TH, Z. Liu, L.T. Wang, X. Wang: arXiv:2009.11287; 2203.07351

# Pushing the “Naturalness” limit



Top quark partners searches:

The Higgs mass fine-tune:  $\delta m_H/m_H \sim 1\% (1 \text{ TeV}/\Lambda)^2$


Thus,  $m_{\text{stop}} > 8 \text{ TeV} \rightarrow 10^{-4}$  fine-tune!

FCC: Arkani-Hamed, TH, Mangano, LT Wang, 1511.06495;

muC: The Muon Smasher's Guide, <https://arxiv.org/abs/2103.14043>





# New Particle Searches



- $F_{cc-hh}$  vs HL-LHC: 6x reach, which is comparable to a 10-TeV muC



C. Aime et al., Muon Collider Physics Summary: arXiv:2203.07256

# e.g.: Heavy Higgs Boson Production @ muC



Discovery up to threshold  $M_H \sim E_{\text{cm}}/2$

**Radiative returns:**



Discovery extended to  $M_H \sim E_{\text{cm}}$

TH, S. Li, S. Su, W. Su, Y. Wu, arXiv:2102.08386;  
 TH, Z. Liu et al., arXiv:1408.5912.

# RECAST: FUTURE COLLIDERS AGORA

	2020	2025	2030	2035	2040	2045	
RHIC	<i>AA, pA, pp</i>						
EIC	TDR	Construction		20 GeV → 140 GeV			
LHeC	TDR	Construction		1.3 TeV			
(HL)-LHC	14 TeV						
CEPC	TDR	Construction		240 GeV	Z W	SppC	
ILC	Pre-constr'n	Construction		250 GeV		500 GeV	
CLIC	TDR, pre-constr'n		Construction		380 GeV		1.5 TeV
FCC- <i>ee</i>	TDR, pre-construction		Construction		Z W 240 GeV → 350 GeV		
HE-LHC	R&D, TDR, prototyping, pre-construction			Construction		27 TeV	
FCC- <i>hh</i>	R&D, TDR, prototyping, pre-construction			Construction		100 TeV	
Muon Collider	R&D, tests, TDR, prototyping, pre-construction			Construction		3 → 14 TeV	
Plasma Coll.	R&D, feasibility studies, tests, TDR, prototyping, pre-construction				Construction		3 TeV

FIG. 42. Approximate technically limited timelines of future large colliding beam facilities.

V. Shiltsev & F. Zimmermann: arXiv:2003.09084


# FERMILAB SITE FILLERS

Circumference ~16 km



1.  $e^+e^-$  Site Filler,  $\sqrt{s} = 90\text{-}240$  GeV
2. Muon Collider,  $\sqrt{s} = 0.126 - 8$  (10) TeV
3. pp Site Filler Collider,  $\sqrt{s} = 24\text{-}28$  TeV


Linear ~7 km



1. C<sup>3</sup> (Cool Copper Cavity)  $e^+e^-$  Collider,  $\sqrt{s} = 90 - 500$  GeV
2. NC RF (CLIC-Klystron)  $e^+e^-$  Collider,  $\sqrt{s} = 90 - 500$  GeV
3. SRF-Travelling Wave  $e^+e^-$  Linear Collider,  $\sqrt{s} = 90 - 250$  GeV

P. Bhat et al., Snowmass White paper: arXiv:2203.08088

# Future Collider “Decision Tree”



C. Aime et al., Muon Collider Physics Summary: arXiv:2203.07256  
 V. Shiltsev & F. Zimmermann: arXiv:2003.09084

# Summary

- Colliders: indispensable to explore the energy frontier; complementary to other frontiers: flavor, neutrino, DM.
- LHC leads the way:  $\lambda_{HHH} \sim 50\%$  ;  $M_{NP} \sim O(1 \text{ TeV})$
- Higgs factory:  
Near future: ILC (240 GeV – 1 TeV)  
Future Lepton collider  $g \sim 1\%$ ;  $\lambda_{HHH} < 10\%$ ;  $Br_{inv.} \sim 2\%$ ;  $\Gamma_{tot} < 6\%$
- Future Fcc-hh: new physics reach  
 $6x \text{ LHC reach: } 10 - 30 \text{ TeV} \rightarrow \text{fine-tune} < 10^{-4}$   
WIPM DM mass  $\sim 1 - 5 \text{ TeV}$ ;  $\lambda_{HHH} < 10\%$
- HE muon collider:  $\lambda_{HHH} < 5\%$ ;  $M_{NP} \sim E_{cm}/2 - E_{cm}$ .

**Much R&D needed, future colliders needed!**

**Future is bright!**