



Contribution ID: 6

Type: **not specified**

Minimal Z' models

Monday 30 July 2018 15:00 (30 minutes)

We present the most general solutions for the charges of a Z' with a minimal content of fermions. From our analysis, we show the existence of three different scenarios which, as far as we know, are new in the literature. However, these solutions reduce to very well-known cases for particular choices of the free parameters. We also define several benchmark models in order to show the flexibility of our parameterizations. In order to make a connection with the phenomenology, we show that it is possible to adjust some of these benchmark models to several observables, including C_9 and C_{10} which are involved in the LHCb anomalies. We use the upper limits on the Z' cross-sections of extra gauge vector bosons Z' decaying into dileptons from the ATLAS data at 13 TeV with an accumulated luminosity of 36.1 fb^{-1} to set the 95% CL allowed regions in the parameter space for a Z' mass of 5 TeV.

Authors: Dr ROJAS, Eduardo (Universidad de Antioquia); Dr PONCE, William (Universidad de Antioquia); Dr BENAVIDES, Richard (ITM); Dr MUÑOZ, Luis (ITM); Mr RODRIGUEZ, Oscar (Universidad de Antioquia)

Presenter: Dr ROJAS, Eduardo (Universidad de Antioquia)

Session Classification: Dark Matter