

## **An overview of the CMS High Granularity Calorimeter**

*Monday 1 July 2024 11:30 (20 minutes)*

Calorimetry at the High Luminosity LHC (HL-LHC) faces two enormous challenges, particularly in the forward direction: radiation tolerance and unprecedented in-time event pileup. To meet these challenges, the CMS Collaboration is preparing to replace its current endcap calorimeters for the HL-LHC era with a high-granularity calorimeter (HGCAL), featuring a previously unrealized transverse and longitudinal segmentation, for both the electromagnetic and hadronic compartments, with 5D information (space-time-energy) read out. The proposed design uses silicon sensors for the electromagnetic section and high-irradiation regions (with fluences above  $10^{14}$  neq/cm<sup>2</sup>) of the hadronic section, while in the low-irradiation regions of the hadronic section plastic scintillator tiles equipped with on-tile silicon photomultipliers (SiPMs) are used. The full HGCAL will have approximately 6 million silicon sensor channels and about 240 thousand channels of scintillator tiles. This will facilitate particle-flow-type calorimetry, where the fine structure of showers can be measured and used to enhance particle identification, energy resolution and pileup rejection. In this talk we present the ideas behind the HGCAL, the current status of the project, the lessons that have been learnt, in particular from beam tests as well as the design and operation of vertical test systems and the challenges that lie ahead.

**Author:** AMENDOLA, Chiara (CERN)

**Presenter:** AMENDOLA, Chiara (CERN)

**Session Classification:** Detector Systems