



Contribution ID: 64

Type: Talk

How the observational quantities of strong gravitational lens effect depend on BH's mass and spin

Thursday 17 December 2015 14:00 (21 minutes)

According to the general relativity (GR), the black hole (BH) is characterized by three parameters: mass M , spin angular momentum J and electric charge Q .

In real cases, the charge is expected to be zero, $Q = 0$.

Then, the "BH observation" may be understood as the measurement of M and J through a direct observation of GR phenomena, for example the strong gravitational lens effect.

I am studying how the two parameters (M, J) appear in a time series data (light curve) seen by single telescope observing the strong gravitational lens effect by Kerr BH.

The situation treated in my study consists of three parts as follows:

(1) If an emission of light with short duration (burst-like emission) occurs near a BH, we focus on two light rays:

One light ray propagates from the source to observer along the shortest path which does not wind around the BH ("direct ray" or "zero-winding ray").

Another ray propagates along the secondary short path which winds once around the BH ("secondary ray" or "1-winding ray").

(2) When the observer detects the 0-winding and 1-winding rays by single telescope, he/she can (in principle) readout following two informations from the light curve seen by the telescope: the time delay Δt_{obs} between detection time of 0-winding and 1-winding rays, and the ratio of brightness R_{obs} of 0-winding and 1-winding rays.

(3) These two parameters ($\Delta t_{obs}, R_{obs}$) are determined by BH parameters (M, J) and also the position and velocity (\vec{x}, \vec{v}) of source at the emission.

I will report how these quantities (M, J, \vec{x}, \vec{v}) determine the two observational quantities ($\Delta t_{obs}, R_{obs}$).

Also, it will be found that the estimated values of Δt_{obs} and R_{obs} seem to be detectable by the present telescope capability.

Author: SAIDA, Hiromi (Daido University)

Presenter: SAIDA, Hiromi (Daido University)

Session Classification: 12 - Gravitational lensing